

Technical data sheet

Clamp clip, single, A2 plastic pressure trough

Item number: 1178628



Suitable for all C profile rails with slot width 18 mm and 22 mm.

Polypropylene pressure trough, halogen-free, colour light grey RAL 7035.



A2 Stainless steel

2B Bright, treated

Master data

Item number	1178628
Type	2056U 70 A2
Description 1	Clamp clip
Manufacturer	OBO
Dimension	64-70mm
Material	Stainless steel
Surface	Bright, treated
Surface standard	
Smallest sales unit	15
Unit of quantity	Piece
Weight	20.5 kg
Weight unit	kg/100 pc.


Technical data sheet

Clamp clip, single, A2 plastic pressure trough

Item number: 1178628



Dimensions



Dimension A	23 mm
Dimension B	76 mm
Dimension C	40 mm
Dimension G (mm)	M8
Dimension H	103 mm
Dimension L	38.5 mm
Dimension t	2.5 mm
Dimension x	6.5 mm

Technical data

Number of cables/pipes	1
for 1 cable H	103 mm
for 1 cable L	38.5
for rail with slot width (with interval), max.	22 mm
for rail with slot width (with interval), min.	18 mm

Technical data sheet

Clamp clip, single, A2 plastic pressure trough

Item number: 1178628



Technical data

Halogen-free	yes
Max. Tightening torque	5 Nm
With plastic trough	yes
With metal trough	no
Mounting type	Profile rail
Impact-resistant	no
Clamping range D, max.	70 mm
Clamping range D, min.	64 mm
Surface addition	Untreated
Material addition	Rustproof steel
With counter-trough	no
Material of trough	Plastic
Material quality of trough	Polypropylene